



CHAPTER 7: CONTAINERS

- | | | | |
|------------|--|------------|--|
| 194 | PROFI Container | 203 | Drawer Inserts for PROFI Container |
| 194 | LC Container (9HE) | 204 | Tool Sets for PROFI Container |
| 196 | PROFI Container (11HE) | 206 | EASY Drawer Inserts |
| 198 | PROFI Pedestal Container (13HE) | 207 | Filing Cubicle |
| 199 | PROFI Short Container | 208 | Storing Tower |
| 200 | PROFI Narrow - & Wide Container | 209 | Sheet Steel Container |
| 201 | PC Container and Training System Storage | 211 | Sheet Steel Mobile - & Suspended Container |
| 202 | PROFI Divider & Separator | 212 | Sheet Steel Pedestal Container |

PROFI CONTAINER (9HE)



Standard Mobile Container 9HE



Standard Suspended Container 9HE

F Standard Form

- Body made of 19mm melamine resin covered chipboard with 2mm PP plastic edge. Solid top and bottom plate for a maximum of stability and durability.
- Robust organizable (Orga) sheet steel drawer with single drawer blocking system (load capacity: 25kg).
- Front in HE raster (1HE = 50mm) with nickel plated metal handle or handle-free design.
- Central lock (master-key-system) with 2 keys.
- Mobile containers with 4 twin casters (diameter: 50mm), two with brakes, max. load capacity: 150kg.
- Suspended containers with mounting holes in top plate.
- Inner dimensions of drawers: width: 327mm / depth: 490mm (D: 580/680) / 690mm (D: 780) height: 80mm.
- Dimensions: width: 420mm; depth: 580 / 680 / 780mm; height: 575mm (mobile) / 490mm (suspended).



Premium Mobile Container 9HE handle-free grip strip



Premium Mobile Container 9HE with Handles in RAL-Code

A Premium Type, handle-free or with handle.

Die Premium type includes following features:

- Mobile container with 75mm heavy duty twin casters, max. load capacity: 300kg.
- Top plate covered by drawer front of mobile container.
- **Telescopic full extension and SoftStop as a standard.**

A Version

Mobile Container



Suspended Container

ESD Version
according DIN EN 61340

Body made of surface and volume conductive material, conductive metal drawers and fronts, ESD swivel casters.

**O** Top Drawer

- with lock and small part tray
- pencil drawer with lock 1HE



Small Part Tray

Pencil Drawer Standard
(not available in ESD; depth: 20mm)Pencil Drawer PLUS
(available in ESD; depth: 40mm)**E** Features

- Drawers in HE raster (1HE = 50mm)
- with door instead of drawers

3HE + 6HE
with Small Part TrayV1: 3HE + 2HE + 4HE
V2: 3HE + 3HE + 3HE
with Small Part Tray3HE + 2HE + 2HE + 2HE
with Small Part TrayContainer with Door,
right hinges1HE + 2HE + 6HE
with Pencil DrawerV1: 1HE + 2HE + 3HE + 3HE
V2: 1HE + 2HE + 2HE + 4HE
with Pencil Drawer1HE + 2HE + 2HE + 2HE +
2HE, with Pencil DrawerContainer with Door,
left hinges

PROFI Container (9HE)

43 A . E O T . F B 3

A Version	E Features	O Top Drawer	T Depth	F Form	B Width
1 Suspended	2 2x Drawers	5 3HE with small part tray	0 580mm	0 Standard, Handle	0 420mm
2 Mobile	3 3x Drawers V1	6 1HE Pencil Drawer Standard	1 680mm	2 Premium, no Handle	6 600mm
3 ESD Suspended	5 3x Drawers V2	7 1HE Pencil Drawer PLUS	(only suspended)	3 Premium, Handle	(non standard)
4 ESD Mobile	4 4x Drawers		2 780mm		
	0 Door, left hinges				
	1 Door, right hinges				

Options

439.100.103	Telescopic Full Extension (per drawer), load capacity: 45kg
439.100.003	Drawer Closing with SoftStop (per drawer)
439.100.303	Pencil Drawer PLUS
439.100.403	ESD Pencil Drawer PLUS
439.100.503	Electric Lock with RFID or Remote Controlled

439.100.903	Handle powder coated according to RAL Code
439.100.803	Ergonomic bevelled fronts (per container)



PROFI CONTAINER (11HE)



- Body made of 19mm thick melamine resin covered chipboard with 2mm PP plastic edge.
- Robust organizable sheet steel drawer with single drawer blocking system in HE raster (1HE = 50mm).
- 1HE pencil drawer with central lock (master-key-system) and two foldable keys.
- Mobile container with metal supported bottom plates and 4 twin casters, two with locks.
- Standard: twin casters \varnothing 50mm / max. 150kg (total).
- Pedestal container with four glides.
- Inner drawer dimensions:
Width: 327mm
Depth: 490mm (D: 580/680) / 690mm (D: 780)
Height: 80mm
- Dimensions:
Width: 420mm
Depth: 580 / 680 / 780mm
Height: 675mm (Mobile Container)
610mm (Pedestal Container)
585mm (Suspended Container)

Drawers:

- Telescopic extension on ball bearings, load capacity: 25kg, optionally available with full extension (VA), load capacity: 45kg.
- Organizable with dividers, separators or drawer inserts.
- Automatic drawer closing.
- Single drawer locking system.
- Bevelled front made of 19mm thick melamine resin covered chipboard with metal handles, nickel-plated. Optionally powder coated according to RAL-Code.

Premium Type:

- Mobile container with 75mm twin caster for max. load capacity of 300kg.
- **Telescopic full extension and SoftStop as a standard.**



Standard Mobile Container 11HE in ESD



Premium Suspended Container, handle-less with electric lock



Premium Pedestal Container, handle-less in BiColor Design



Metal Support



Metal Handles



Premium 75mm Twin Casters (300kg)



Handleless Grip Strip

PROFI Container

- Drawer fronts and top plate ergonomically bevelled
- extraordinary stable connection with casters due to metal support
- ergonomically foldable keys

A Version:

Mobile Container



Pedestal Container



Suspended Container

ESD Version to DIN EN 61340

Body made of surface - and volume conductive material, conductive metal drawers and fronts, ESD swivel casters.

**EE** Features (Drawers):

- Drawers in HE raster (1HE = 50mm)
- with door instead of drawers



32 2x 2HE + 1x 6HE VA



33 1x 2HE + 2x 4HE



42 3x 2HE + 1x 4HE



43 2x 2HE + 2x 3HE



52 5x 2HE



01 Door with left hinges



02 Door with right hinges

PROFI Container (11HE) 43 A EE T F B 3

A Version	EE Feature	T Depth	F Form	B Width
2 Mobile	32 2x 2HE + 1x 6HE VA	0 580mm	0 Standard, Handle	0 420mm
7 Pedestal	33 1x 2HE + 2x 4HE	1 680mm	2 Premium, no Handle	6 600mm
1 Suspended	42 3x 2HE + 1x 4HE	(only suspended)	3 Premium, Handle	(non standard)
4 ESD Mobile	43 2x 2HE + 2x 3HE	2 780mm		
8 ESD Pedestal	52 5x 2HE			
3 ESD Suspended	01 Door, left hinges (incl. 1x shelf board)			
	02 Door, right hinges (incl. 1x shelf board)			

Options

439.100.103	Telescopic Full Extension (per drawer), load capacity: 45kg	439.100.903	Handle powder coated according to RAL Code	
439.100.003	Drawer Closing with SoftStop (per drawer)			
439.100.303	Pencil Drawer PLUS	439.100.703	Fronts with 2mm PP Plastic Edge instead of bevelling (per container)	
439.100.403	ESD Pencil Drawer PLUS			
439.100.503	Electric Lock with RFID or Remote Controlled			

439.100.103: Option Telescopic Full Extension

- extension length: 535mm (depth: 580) / 735mm (depth: 780)
- load capacity: 45kg / over extension: 45mm

**439.100.003:** Option SoftStop

- self-closing drawer with SoftStop cylinders

**439.100.503:** Option Electric Lock

- with battery case for RFID or RC digital input activation



PROFI PEDESTAL CONTAINER (13HE)

- See details to body and drawers on page 196 (PROFI Containers - 11HE).
- Under bench type with four glides and a total height of 710mm.
- Side standing version with base and hidden leveling feet. Total height: 750mm.
- Depth: 580 / 780mm.
- Choose a 30mm top plate from chapter 3 to adapt the height and depth to the bench.




Under Bench



Side Standing with Top Plate

EE Features (drawers) in HE raster (1HE = 50mm)
 Container with door has no pencil drawer, but 1x shelf board



PROFI Pedestal Container (13HE) 43 A EE T F V 3					
A Version	EE Features	T Depth	F Form	V Type	
5 Standard	22 2x 6HE VA	0 580mm	0 Standard	0 Under Bench, Width 420mm	
6 ESD 	32 2x 3HE + 1x 6HE VA	2 780mm	2 DESIGN	1 Side Standing, Width 420mm	
	42 3x 2HE + 1x 6HE VA			6 Under Bench, Width 600mm	
	43 2x2HE + 2x 4HE			7 Side Standing, Width 600mm	
	44 4x 3HE				
	52 3x 2HE + 2x 3 HE	Optionen			
	53 4x 2HE + 1x 4HE	439.100.103	Option full extension (per drawer) load capacity: 45kg		
	62 6x 2HE	439.100.003	Option drawer closing with SoftStop (per drawer)		
	01 Door, left hinges	439.100.903	Option handle powder coated according to RAL Code (per drawer)		
	02 Door, right hinges	439.100.703	Drawer fronts with 2mm PP Plastic Edge, no bevelling (per container)		



PROFI SHORT CONTAINER


- Body made of 19mm thick melamine resin covered chipboard with 2mm PP plastic edge.
- Robust organizable (Orga) sheet steel drawer with single-drawer-blocking system in HE raster (1HE = 50mm).
- Optional in ESD according to DIN EN 61340, body completely surface - and volume conductive, with conductive metal drawers and conductive fronts.



EE Features (drawers) in HE raster (1HE = 50mm)
Container with door has no pencil drawer, but 1x shelf board



PROFI Short Container 43 **A** **EE** **T** **F** **B** 3

A Version	EE Features	T Depth	F Form	B Width
1 Standard	12 1x Drawer, height: 170mm	0 580mm	0 Standard, Handle	0 420mm
3 ESD 	23 2x Drawers, height: 290mm	1 680mm	2 Premium, no Handle	6 600mm
	13 Door, left hinges, height: 340mm	2 780mm	3 Premium, Handle	(non standard)
	14 Door, right hinges, height: 340mm			
	22 1x 1HE Pencil Drawer + 1x 2HE+ 1x 3HE			
	24 1HE Extendable Tray with Full Extension + 1x 2HE + 1x 3HE			

Options

- 439.100.103** Full Extension (per drawer), load capacity: 45kg
- 439.100.003** Drawer Closing with SoftStop (per drawer)
- 439.100.903** Handle powder coated to RAL Code (per drawer)
- 439.100.703** Drawer fronts with 2mm PP Plastic Edge, no bevelling (per container)



1HE
Extendable Tray



433.221.003: 1x 1HE Pencil Drawer + 1x 2HE+ 1x 3HE



433.230.003: 2x Drawers, height: 290mm

PROFI NARROW CONTAINER

- Applicable for all container types (mobile, pedestal, suspended, 9HE, 11HE, 13HE).
- Load capacity: 25kg
- Width: 320mm.

NOTE: not available in ESD

Narrow Container Type

xxx.xxx.004




PROFI WIDE CONTAINER

- Applicable for all container types (mobile, pedestal, suspended, 9HE, 11HE, 13HE).
- Optionally in ESD according to DIN EN 61340 with surface - and volume conductive body and drawers.
- Body made of 19mm thick melamine resin covered 2mm PP plastic edge, width: 600mm.
- Wooden 1HE front with lock and small part tray, made of sheet steel, durable light grey powder coated. Inner dimensions: 490 x 340 x 25mm (WxDxH).
- Central lock (master-key-system) with 2 keys.
- Sheet steel drawers, sides with slots in 100mm raster for seperators.
Durable conductive powder coated in light grey.
Inner width: 495mm
Inner dept: 490mm (D: 580/680) / 690mm (D: 780)
Inner height: 70mm
- Telescopic extension on ball bearings with single-drawer-blocking system in HE raster (1HE = 50mm), load capacity: 25kg (optionally full extension, load capacity: 45kg).

Wide Container Type

xxx.xxx.x6x




SEPERATORS & DIVIDERS FOR WIDE CONTAINER

- Seperators made of sheet steel, durable conductive powder coated in light grey, with stot raster for dividers in 12,8mm distance.
Dimensions: 500 x 70mm (WxD).
- Dividers made of anodized aluminium 2mm.
Dimensions: 18,5mm x 70mm (WxH).

PROFI Seperators & Dividers for Wide Container

439.001.303	Seperator W: 600mm
439.003.603	Divider W: 333mm
439.003.503	Divider W: 277,5mm
439.003.403	Divider W: 222mm
439.003.303	Divider W: 166,5mm
439.003.203	Divider W: 111mm
439.003.103	Divider W: 37mm



PC CONTAINER

- Body made of 19mm thick melamine resin covered chipboard with 2mm PP plastic edge.
- Optionally with detachable service flap and lock.
- Rear side with cable outlet.
- Suspended containers with mounting holes in the top.
- Pedestal containers with glides at the lower side.
- Width: 270mm
Depth: 580 / 680 / 780mm
Height: 585mm (suspended container)
710mm (pedestal container)
- Optional with wooden - or glass door and metal hinges, handle and lock with 2 keys (master-key-system).



PC Container		43	A	0	R	T	003
A	Version	R	Type	T	Depth		
1	Suspended	0	no Service Flap	0	580mm		
5	Pedestal	3	Service Flap, right side	1	680mm		
		4	Service Flap, left side	2	780mm		

Door for PC Container		43	A	.03	M	F	03
A	Version	M	Type	F	Form		
1	Suspended	8	Wooden, 19mm	0	with Handle		
5	Pedestal	9	Safety Glass, 6mm	2	Handleless		
439.100.703 Door with 2mm PP Plastic Edge, no bevelling							



OPTION STORAGE FOR STANDARD TRAINING SYSTEMS

- Pedestal -, suspended - and mobile containers can be fully or partly equipped with slotted mats for the storage of training systems in A4 (297mm height).
- Containers WITH drawers are equipped with an extra wall for adaption to training system size.
- Containers WITHOUT drawers have an adapted width of 340mm, which means that on height of the hinges, no training system can be inserted.

Option Storage for Standard Training Systems	
439.600.003	Storage Option WITHOUT Drawers (340mm)
439.600.103	Storage Option WITH Drawers (420mm)



PROFI SEPERATORS

- For standard and narrow containers; made of double sheet steel with black powder coating. Sides with latches and bores for acceptance of dividers.
- For wide containers made of 2mm sheet steel with durable conductive powder coating in light grey.

PROFI Seperator

439.001.103	for Standard Container 327x10x77mm (WxDxH)
439.001.203	for Narrow Container 227x10x77mm (WxDxH)



PROFI DIVIDER

- Only for standard and narrow containers.
- Made of sheet steel, durable powder coated, sides with latches for fixation, height: 77mm.

PROFI Divider

439.002.103	A4 (310mm)
439.002.203	A5 (210mm)
439.002.303	A6 (150mm)
439.002.403	A7 (110mm)




PROFI UNIVERSAL PARTITION

Set consisting of:

- 2x Seperators
- 2x Dividers A4
- 2x Dividers A7

PROFI Universal Partition

439.002.003




PROFI PARTITION FOR CONTAINER 780MM

Set consisting of:

- 2x Seperators
- 1x Dividers A6
- 2x Dividers A4

PROFI Partition for Container 780mm

439.002.023



PROFI PARTITION FOR CONTAINER 580MM

Set consisting of:

- 2x Seperators
- 1x Dividers A5
- 1x Dividers A6
- 1x Dividers A7

PROFI Partition for Container 580mm

439.002.043



PROFI FILING FRAME FOR A4 STANDARD FOLDERS

- Steel filing frame, attachable to the 6HE drawers, container width: 420mm.



PROFI Filing Frame for Standard A4 Folders

439.004.103	for Container Depth 580mm
439.004.203	for Container Depth 780mm
439.004.300	Seperator for Filing Frame

PROFI DRAWER INSERT


- Trays made of light grey plastics, dimensions: 330 x 326 x 30mm (WxDxH).

PROFI Drawer Insert

439.007.100	Drawer Insert, 10 Compartments
439.008.100	Drawer Insert, 1x DIN A4, 3 Small Compartments



439.007.100



439.008.100

PROFI DRAWER INSERT

- Made of deep-drawn plastics (WxDxH).

Type 1: Dimensions: 327 x 475 x 45mm
4x Compartments: 202 x 75mm
4x Compartments: 262 x 75mm

4x

Type 2: Dimensions: 327 x 195 x 45mm
3x Compartments: 188 x 102mm

Type 3: Dimensions: 327 x 240 x 45mm
5x Compartments: 154 x 59mm
5x Compartments: 70 x 59mm

Type 4: Dimensions: 327 x 240 x 45mm
15x Compartments: 73 x 59mm



439.050.100



439.050.200



439.051.100



439.051.200

PROFI Drawer Inserts

439.050.100	Type 1 (depth: 475 / 8 compartments)
439.050.200	Type 2 (depth: 195 / 3 compartments)
439.051.100	Type 3 (depth: 240 / 10 compartments)
439.051.200	Type 4 (depth: 240 / 15 compartments)

SPARE PARTS FOR PROFI CONTAINER

- Master -, group - or single key systems are possible.
- A service key is required for changing locks.

Spare Parts for PROFI Container

499.700.000	Key Replacement (please state lock No.)
499.700.010	Lock with 2 Keys
499.700.020	Master Key for Locking System 7000
499.700.030	Service Key for Locking System 7000



TOOL SET ELECTRONIC

Hard foam insert 325x490mm with:

- VDE Needle Nose Plier
- VDE Combination Plier
- VDE Universal Wire Cutter
- VDE Wire Stripper
- Set of Warding Files, Wooden Handle, 6pcs.
- VDE Slot Screw Driver Set, 4pcs.
- VDE Cross Slot Screw Driver 0 – 2, 3pcs.
- Socket Wrench, long, 4 – 8, 6pcs.
- Electrician Tweezer

439.600.200

Tool Set ELECTRONIC



TOOL SET VDE

Hard foam insert 325x490mm with:

- VDE Voltage Tester
- VDE Round Nose Plier
- VDE Universal Wire Cutter
- VDE Combination Plier
- VDE Wire Stripper
- VDE Pipe - and Water Pump Plier
- VDE Screw Driver Set 4pcs.
- VDE Screw Driver Set, 0 – 3, 4pcs.
- Pocket Rule
- VDE Stripping Knife
- VDE Adjustable End Wrench

439.600.300

Tool Set VDE



TOOL SET ESD

Hard foam insert 325x490mm with:

- ESD Wire Cutter, 2pcs.
- ESD Flat Nose Plier
- ESD Needle Nose Plier
- ESD Electrician Slot Screw Driver Set, 4pcs. 0 – 4
- ESD Electrician Cross Slot Screw Driver 000 – 1
- ESD Electrician TORX Screw Driver 1 – 7
- ESD Electrician Tweezer, straight & bent nose
- Pocket Rule

439.600.400

Tool Set ESD



Tool Sets suitable for PROFI Containers,
depth: 580mm / 680mm / 780mm.
Drawer full extension recommended!

TOOL SET UNIVERSAL

Hard foam insert, 2x 325x490mm with:

- Metal Saw Bow
- Adjustable End Wrench, 2pcs.
- Engineer Hammer
- Flat -, Triangular -, Half-Round File Hieb 2
- Water Pump Plier
- Wire Cutter
- Wire Stripper
- Flat Nose Plier, straight and bent nose
- Combination Plier
- Voltage Tester
- Electrician Screw Driver, 2pcs.
- Slot Screw Driver, 2pcs.
- Cross Slot Screw Driver Carburetor 2
- Slot Screw Driver Carburetor
- Cross Screw Driver 1 – 3
- Pocket Rule

439.600.100

Tool Set UNIVERSAL



TOOL SET MECHANIC

Hard foam insert, 2x 325x490mm with:

- Warding File, 6pcs.
- File Brush
- Flat -, Triangular -, Half-Round File Hieb 2
- Flat Scraper 276-200mm
- Three-Square Hollow Scraper 274-200mm
- Engineer Hammer
- Plastic Hammer
- Precisson Caliper
- Metal Saw Bow
- Flat Chisel, octagon 262-125mm, 262-150mm
- Pin Punch
- Punch 120x4mm
- Drift Punch
- Scribbling tool, bent
- Pocket Rule

439.600.500

Tool Set MECHANIC



TOOL SET SOCKET WRENCH

Hard foam insert 325x490 with:

- Lever Change Ratchet 1/2" ,1/4"
- Socket Wrenches 1/4" 4 - 14
- Hexagon Screwdriver Bits 1/4" 3 – 6 and 8
- Slotted Screwdriver Bits 1/4" 4, 5, 5, 6,5
- Cross Screwdriver Bits 1/4" 1-3
- TORX Schrewwdriver Bits 1/4" 8-10, 20, 25, 27, 30
- Drive Handle 1/4"
- Sliding Bar 1/4"
- Extension 1/4", 50mm, 150mm
- Cardan Joint 1/2", 1/4"
- Hexagon Screwdriver Bits 1/2" 10-19, 22, 24, 27, 30, 32
- Sliding Bar 1/2"
- Extension 1/2", 125mm, 250mm
- Pocket Rule

439.600.600

Tool Set SOCKET WRENCH



SPARES FOR PROFI CONTAINER

Spares for PROFI Container	
499.700.150	Partial Extension (Pair); Container Depth: 580mm
499.700.170	Partial Extension (Pair); Container Depth: 780mm
499.700.250	Full Extension (Pair); Container Depth: 580mm
499.700.270	Full Extension (Pair); Container Depth: 780mm
499.700.500	Replace Casters (Set) 50mm incl. Support
499.700.550	Replacement ESD Casters (Set) 50mm incl. Support
499.700.600	Replace Design Casters (Set) 75mm
499.700.650	Replace Design ESD Casters (Set) 75mm



SPARES FOR EASY CONTAINER


- The lock is mounted in the containers' side panel and can be replaced by detaching the leaf spring.

Spares for EASY Container	
299.700.000	Spare Key for Lock System M70, M71 or M78 (please state the key number)
299.700.010	Replacement Lock with 2 Keys
299.700.020	Master Key for Lock System M70/71
299.700.030	Master Key for Lock System M78




EASY DRAWER INSERT


- Made of deep-drawn plastics in grey.
- Dimensions: 462 x 560mm (WxD).




192.011.200




192.011.300



192.011.400



192.011.500



192.011.800

299.131.300 /
192.011.600
(no Tools)299.132.300 /
192.011.700
(with Tools)

EASY Drawer Inserts			
192.011.200	A3 + A4	192.011.700	Inserts for Mechanic Tools (2part - no tools included)
192.011.300	3x A4	192.011.800	Tray for Training Boxes
192.011.400	2x A4 + 2x A5	299.131.300	Electrician Tools 27-parts)
192.011.500	24x Small Parts + Compartments	299.132.300	Mechanic Tools 39parts
192.011.600	Insert for Electrician Tools (no tools included)		

PROFI STORING TOWER

- Outer - and inner body amde of 19mmthick melamine resin covered chipboard, completely assembled.
- Outer body with leveling feet and 13mm thick decorative rear panel.
- Surrounding rubber lip for dust protection.
- Solid runner system with full extension and damping system, two fixed casters.
- 130kg load capacity according to EN15338 level 2.
- Front with nickel-plated metal handle or grip strip and central lock (master-key-system) with 2x foldable keys.

Extensional Tray

Plastic tray in alu optics 376x354mm. With metal runners, for under-shelf installation. Load capacity: 6kg.











430.000.100



430.000.200



HBV Height / Width / Version



PROFI Storing Tower

430. HBV . T Z A

HBV	Height / Width / Version	T	Depth (useable)	Z	Opening	A	Type
141	H: 750mm / W: 440mm / V1	0	800mm (660mm)	0	left access	0	Standard light grey
142	H: 750mm / W: 440mm / V2	1	900mm (760mm)	1	right access	1	Premium light grey
163	H: 750mm / W: 620mm / V3	2	1000mm (760mm)	2	both sided	2	Standard bicolor
241	H: 1000mm / W: 440mm / V1	Accessory					
242	H: 1000mm / W: 440mm / V2	480.307.41A	Wooden Shelf 19mm light grey, dim. 660 x 360mm (A=0: Standard / A=5: ESD)				
262	H: 1000mm / W: 620mm / V2	480.307.42A	Wooden Shelf 25mm light grey, dim. 660 x 360mm (A=0: Standard / A=5: ESD)				
263	H: 1000mm / W: 620mm / V3	480.308.41A	Wooden Shelf 19mm light grey, dim. 760 x 360mm (A=0: Standard / A=5: ESD)				
341	H: 1324mm / W: 440mm / V1	480.308.42A	Wooden Shelf 25mm light grey, dim. 760 x 360mm (A=0: Standard / A=5: ESD)				
342	H: 1324mm / W: 440mm / V2	480.308.400	Sheet Steel Shelf 24mm light grey, dim. 760 x 360mm (ESD powder coating)				
362	H: 1324mm / W: 620mm / V2	430.000.100	Extendable Compartment Tray 376 x 354 x 40mm (WxDxH)				
		430.000.200	Extendable Tray 376 x 354 x 60mm (WxDxH)				

NO COMPROMISES, THIS STANDS ALL BURDENS

You need a container for roughest applications? Be on the safe side with the sheet steel containers. The containers are perfect to store heavy tool sets close to your workbench. In following pages you will find suitable partitions for efficiently organized storage, too. The containers are available for suspended, mobile or pedestal use.



DETAILS TO SHEET STEEL CONTAINERS

- **High Stability and Smooth Drawer Running**
differential extension without crossbar with load capacity 75kg (ESD 50kg).
200kg load capacity on demand.
- **Maximum Drawer Usability**
full drawer height (same as drawer front) and full extension.
- **Perfect Safety**
single drawer blocking system and pull-out safety as a standard feature.
- **Structured Arrangement and Organization**
various separators and dividers available, drawers with perforation and slots for organizing material.
- **Professional Labeling**
drawer fronts with labeling tags and freely available software for professional labeling.



SHEET STEEL CONTAINERS, SUSPENDED AND MOBILE

- Completely closed and welded sheet steel housing, durable powder coated.
- Sheet steel drawers with full extension, max. 75kg.
- Drawer front in mm, with whole width handle strip (with label holder - labeling software on demand).
- Side panels of drawers in same height as drawer front, the drawers are slotted for installation of dividers in 17mm raster.
- Drawer blocking mechanism, prevents the unintended opening of drawers. Blocking mechanism is removable if e.g. used as suspended container.
- Total drawer height: 450mm.
- Replacable cylinder lock with 2 keys.
- Code- and RFID lock on demand.
- Inner dimensions of drawers:
Width: 306 / 459mm (at 411 / 564mm)
Depth: 459 / 612mm (at 572 / 725mm).

ESD Version:

- Conductive finishing.
- Mobile containers with ESD casters.
- Load capacity of drawers, max. 50kg.



F Form



Mobile Containers

- 4 swivel casters (75mm), two with brakes
- Upper side with 20mm stop edge (3-sided) with rilled rubber mat and handle bar
- Height: 670mm



Suspended Container

- Upper side with four holes for bench fixation
- Height: 533mm

E Features (drawers)



1x 100 + 1x 150 + 1x 200



2x 50 + 2x 100 + 1x 150





3x 50 + 4x 75



9x 50

Sheet Steel Container

49 F . B 0 E . 0 T A

F Form	B Width	E Features	T Depth	A Version
2 Mobile	4 411mm	1 1x 50 + Door and Shelfboard	5 572mm	0 light grey RAL7035
3 Suspended	5 564mm	3 1x 100 + 1x 150 + 1x 200	7 725mm	1 anthracite RAL7016
		5 2x 50 + 2x 100 + 1x 150		5 ESD light grey 
		7 3x 50 + 4x 75		6 ESD anthracite 
		9 9x 50		

PEDESTAL SHEET STEEL CONTAINER

- Completely closed and welded sheet steel housing, durable powder coated.
- Sheet steel drawers with full extension, max. 75kg.
- Drawer front in mm, with whole width handle strip (with label holder - labeling software on demand).
- Side panels of drawers in same height as drawer front, the drawers are slotted for installation of dividers in 17mm raster.
- Replacable cylinder lock with 2 keys.
- Code- and RFID lock on demand.
- Inner dimensions of drawers:
Width: 306 / 459mm (at 411 / 564mm)
Depth: 459 / 612mm (at 572 / 725mm).
- Total drawer height: 600mm.
- Height: 700mm.

ESD Version:

- Conductive finishing.
- Load capacity of drawers: max. 50kg



EE Features (drawers)



2x 75 + 1x 150 + 1x 300



6x 100



8x 75





7x 50 + 2x 75 + 1x 100



12x 50

Pedestal Sheet Steel Container 495. B EE.0 T A


B Width	EE Features	T Depth	A Version
4 411mm	02 2x 75 + 1x Door with Shelfboard	5 572mm	0 light grey RAL7035
5 564mm	04 2x 75 + 1x 150 + 1x 300	7 725mm	1 anthracite RAL7016
	06 6x 100		5 ESD light grey 
	08 8x 75		6 ESD anthracite 
	10 7x 50 + 2x 75 + 1x 100		
	12 12x 50		

BASE FOR PEDESTAL SHEET STEEL CONTAINER

- The base is for height adaption, in combination with a 30mm bench top the standard bench height of 780mm is achieved.
- Sheet steel / black finishing.
- Height: 50mm.



Base for Pedestal Sheet Steel Container 495. B 00. T 0 A

B Width	T Depth	A Version
4 411mm	5 572mm	0 Standard
5 564mm	7 725mm	5 ESD 

SHEET STEEL SHORT CONTAINER

- See the details to sheet steel containers on page 213.
- Total drawer height: 200mm.
- Height: 283mm.

EE Features (drawers)



1x 50 + 1x 150





1x 50 + 2x 75



4x 50




Sheet Steel Short Container 494. B EE .0 T A

B Width	EE Features	T Depth	A Version
4 411mm	02 1x 50 + 1x 150	5 572mm	0 light grey RAL7035
5 564mm	03 1x 50 + 2x 75	7 725mm	1 anthracite RAL7016
	04 4x 50		5 ESD light grey 
			6 ESD anthracite 

PARTITION SET FOR SHEET STEEL CONTAINERS


- Sets of separators and dividers in 17mm raster. Separators and dividers made of sheet steel.
- Suitable to the different container widths, - depths and drawer heights.



Separators (SW)



Dividers (TB)



Partition Set for Sheet Steel Containers

Width x Depth	411 x 572mm	411 x 725mm	564 x 572mm	564 x 725mm
Partition Set	1x SW + 2x TB	1x SW + 6x TB	2x SW + 6x TB	2x SW + 3x TB
front height: 50mm	496.080.643	496.080.629	496.080.671	496.100.275
front height: 75mm	496.080.644	496.080.630	496.080.672	496.100.276
front height: 100mm	496.080.645	496.080.631	496.080.673	496.100.277
front height: 150mm	496.080.646	496.080.632	496.080.674	496.100.278

PLASTIC BINS FOR SHEET STEEL CONTAINER

- Set of plastic bins made of polysyrol (red). ESD version is made of conductive polypropylen (black).
- Suitable for the different container widths, - depths and drawer heights.



Plastic Bins for Sheet Steel Containers					
Dimensions: H x W x D	Standard / ESD	Dimensions: H x W x D	Standard / ESD	Dimensions: H x W x D	Standard / ESD
26 x 75 x 75mm:	480.119.000 / 480.119.005	46 x 75 x 75mm:	480.116.000 / 480.116.005	71 x 150 x 75mm:	480.384.000 / 480.384.005
26 x 150 x 75mm:	480.118.000 / 480.118.005	46 x 150 x 75mm:	480.115.000 / 480.115.005	71 x 150 x 150mm:	480.383.000 / 480.383.005
26 x 150 x 150mm:	480.117.000 / 480.117.005	46 x 150 x 150mm:	480.114.000 / 480.114.005		

ANTI-SLIP MAT FOR SHEET STEEL DRAWER

- Rubber mat for the safe storage of sensitive components.
- Suitable as drawer inlay.
- Nylon / PVC meshed mat in anthracite color.



Anti-Slip Mat		496.30 B .0 T 0	
B Width		T Depth	
4 411mm		5 572mm	
5 564mm		7 725mm	

